

Lecture 6: Dictionaries

Morten Rieger Hannemose, Vedrana Andersen Dahl

Fall 2023

$$f(x+\Delta x) = \sum_{i=0}^{\infty} \frac{(\Delta x)^i}{i!} f^{(i)}(x)$$

Today's lecture

1. Dictionaries (ca. 30 min)
2. Coding example (ca. 30 min)

$$f(x+\Delta x) = \sum_{i=0}^{\infty} \frac{(\Delta x)^i}{i!} f^{(i)}(x)$$



Python Installation Support



Do you have problems getting Python to work?

Check <https://pythonsupport.dtu.dk> for changes on opening hours

Office hours	Monday	Tuesday	Wednesday	Thursday	Friday
10-12:30	302.A92	302.A92	302.A92	302.A92	302.A92
12:30-16		302.A92	302.A92	358.002	302.A92
18-22	Online	Online	Online	Online	Online

Online Help



pythonsupport@dtu.dk

<https://pythonsupport.dtu.dk>

Dictionaries: creation

```
1 my_dictionary = {'name': 'Sasha', 'age': 14, 'class': '8b'}
2 another_dictionary = {1: 'one', 303: 'three o three'}
3 third_dictionary = {'aqua': 101, 'audit': 27}
4 yal = {'seg': [1, 2, 3], 'dct': my_dictionary}
5 empty_dictionary = {}
```

- ▶ Look back at lists: a sequence of values indexed by integers starting with 0, i.e. index-value pairs.
- ▶ Dictionary – a sequence of key-value pairs.
- ▶ Word `dict` is a built-in type, don't use it as a variable name.

Dictionaries: accessing values

```
1 my_dict = {'a': 'apple',  
2           'b': 'banana',  
3           'c': 'cucumber',  
4           'd': 'durian'}  
5 print('apple' in my_dict)  
6 print('a' in my_dict)  
7 for k in my_dict:  
8     print(k)  
9 keys = my_dict.keys()  
10 values = my_dict.values()  
11 items = my_dict.items()
```

- ▶ Keyword **in** checks for dictionary keys
- ▶ When using **in** with **for** loop, the dictionary keys are traversed

Dictionaries: adding and changing

```
1 my_dict = {'a': 'apple', 'b': 'banana',  
2           'd': 'durian', 'g': 'grapes',  
3           'j': 'jackfruit', 'p': 'pear'}  
4  
5 keys = my_dict.keys()  
6 values = my_dict.values()  
7  
8 my_dict['d'] = 'date'  
9 my_dict['m'] = 'mango'  
10  
11 print(keys)  
12 print(values)
```

- ▶ Dictionary keys and values are mutable like lists

Dictionaries: use

```
1 person = {
2     "first_name": "John",
3     "last_name": "Smith",
4     "age": 27,
5     "address": {
6         "street_address": "21 2nd Street",
7         "city": "New York",
8     },
9     "phone_numbers": [
10        {
11            "type": "home",
12            "number": "212 555-1234"
13        },
14    ],
15    "children": [
16        "Catherine",
17        "Thomas",
18        "Trevor"
19    ],
20    "spouse": None
21 }
```

- ▶ Setting for larger projects
- ▶ Collection of unstructured information

Dictionaries use

```
1 names = ["John", "Bob", "Alice"]
2 ages = [23, 45, 67]
3
4 print(ages[names.index("Bob")])
5
6 # This is a bad idea.
7 # It's better to use a dictionary.
8
9 name_to_age = {"John": 23, "Bob": 45, "Alice": 67}
10 print(name_to_age["Bob"])
11
```

- ▶ Can accomplish the same as lists... but with **much** faster and cleaner syntax

Example 1

Write a function that takes a string. The function should return a dictionary where the keys are letters. The value for each key is a list of all the words from the string starting with that letter.

Solve the problem in two different ways:

- ▶ By creating a dictionary that contains 26 keys, one for each letter of the (English) alphabet.
- ▶ By creating a dictionary that contains only keys needed for storing the words that occur in the string.

Coding example

`alpha2phone.py`, (slightly modified) exam from May 2016.

Alpha to phone

On a phone keypad, each letter of the alphabet is assigned to one of the digits 2-9. This makes it possible to write alpha-numeric phone numbers using a mix of letters and digits (by replacing digits in the phone number by the corresponding letters).



Problem formulation

Create a function `alpha2phone` that takes as input an alpha-numeric (letters and digits) phone number as a string, and returns the corresponding numeric (only digits) phone number as a string. You may assume that all letters in the input are given as upper case.

Consider the alpha-numeric phone number 4525DTU1. Converted to a numeric phone number, it should be 45253881.

Code used for coding examples

Example 1

```
1 text = "hej med dig der xylophon"
2
3 # Solution with dict having all letters as
  keys
4 alphabet = 'qwertyuiopasdfghjklzxcvbnm'
5 word_dict1 = {}
6 for letter in alphabet:
7     word_dict1[letter] = []
8 for word in text.split():
9     word_dict1[word[0]].append(word)
10 print(word_dict1)
11
12 # Solution with dict having only keys for
  letters that are in the text
13 word_dict2 = {}
14 for word in text.split():
15     if word[0] not in word_dict2:
16         word_dict2[word[0]] = []
17     word_dict2[word[0]].append(word)
18 print(word_dict2)
```

alpha2phone

```
1 phone_dict = {'A': 2, 'B': 2, 'C': 2,
2               'D': 3, 'E': 3, 'F': 3,
3               'G': 4, 'H': 4, 'I': 4,
4               'J': 5, 'K': 5, 'L': 5,
5               'M': 6, 'N': 6, 'O': 6,
6               'P': 7, 'Q': 7, 'R': 7, 'S': 7,
7               'T': 8, 'U': 8, 'V': 8,
8               'W': 9, 'X': 9, 'Y': 9, 'Z': 9}
9
10 def alpha2phone(phone_input):
11     phone_output = ""
12     for character in phone_input:
13         if character in phone_dict:
14             phone_output += str(phone_dict[
15                 character])
16         else:
17             phone_output += character
18     return phone_output
19 print(alpha2phone("4525DTU1"))
```