

Lecture 8: Files

Morten Rieger Hannemose, Vedrana Andersen Dahl

Fall 2023

$$f(x+\Delta x) = \sum_{i=0}^{\infty} \frac{(\Delta x)^i}{i!} f^{(i)}(x)$$

Today's lecture

1. Files (20 min)
2. String formatting (10 min)
3. Plotting, sneak peek (10 min)
(No coding example today)

Practical information

- ▶ Mid-term exam (test); Roughly corresponding to half an exam.
- ▶ (By the end of the course we will have a test of DE system.)
- ▶ Nicolai og Hans Henrik: *Programing for all* DTU 116/81 Saturday 28/10, from 9:00

Course overview

Weeks 1-7


- ▶ Data types: `int`, `float`, `str`, `list`, `dict`, `tuple`
- ▶ Functions: void, fruitful, arguments, return types
- ▶ Flow control: conditions, loops
- ▶ In connection with sequences (string, list, tuple): indexing
- ▶ In connection with lists and strings: methods
- ▶ Problem solving
- ▶ Coding: testing, debugging

Weeks 8-13

- ▶ Files: reading and writing (today!)
- ▶ Object-oriented programming (2 weeks)
- ▶ Numpy, matplotlib, and other useful modules
- ▶ Efficiency and style
- ▶ The goodies
- ▶ Wrapping up

Files, folders, and paths

- ▶ Information on computers is stored in files.
- ▶ File: data treated as an entity, identified by filename (a string), usually ended by an extension.
- ▶ Path: a string that describes where the file is stored in a hierarchical system of folders.



Today:

- ▶ We can read and write files from Python.
- ▶ Focus on text files and csv-files (which are also text files)
- ▶ Exercises: examples of how an otherwise tedious task may be solved using programming, e.g. searching in many or large files.

Filenames and paths are strings

```
1 import os
2
3 print(f'CWD: {os.getcwd()}')
4 print(os.listdir())
5
6 filename = os.path.join(os.getcwd(), '
    new_file.txt')
7 print(filename)
8
9 if os.path.isfile(filename):
10     print(f'File {filename} exists')
```

- ▶ Current working directory.
- ▶ Relative and absolute paths.
 - ▶ Relative: relates to cwd. Uses .. to move one level up.
 - ▶ Absolute: starts with root directory.
- ▶ Dependency on the operative system.
 - ▶ Windows: C:\Users\Vand\Desktop\course
 - ▶ Unix-based (inc. macOS): /Users/vand/Desktop/course
- ▶ Module `os` – operating system interfaces.

Reading and writing text files

```
1 with open('my_file.txt', 'w') as f:
2     f.write('This is a new file\n')
3     f.write('with two lines\n')
4
5 with open('my_file.txt') as f:
6     lines = f.readlines()
7
8 print(lines)
```

- ▶ Function `open` opens a file and returns a file object.
- ▶ Statement `with` handles unexpected situations. No need to close a file.
- ▶ Reading methods: `read()`, `readline()`, `readlines()`
- ▶ Writing methods: `write()`, `writelines()`
- ▶ An escape character: backslash `\` followed by a character. Most importantly: `\n`.
- ▶ Book Section 14.10, `repr()`: a printable representation
- ▶ Other readers and writers, for example, provided by `csv` module.

String formatting

```
1 a = 17
2
3 print(a, '/3 =', a/3)
4 print(str(a) + '/3 = ' + str(a/3))
5
6 print(f'{a}/3 = {a/3}') # using f-string
7 print(f'{a}/3 = {a/3:0.3}') # custom
   format
8
9 print(f'{a=}') # useful for debugging
10
11 bike_code = 217
12 bike_code_str = f'{bike_code:04}'
13 print(bike_code_str)
```

- ▶ Section 14.3 in the book: Format operator % (old string formatting)
- ▶ New string formatting (Python>3.6): f-strings
 - ▶ Prefixed with 'f' or 'F'
 - ▶ Replacement fields delimited by curly braces , evaluated at run time.

Simple plotting

```
1 import matplotlib.pyplot as plt
2 import random
3
4 nr_points = 1000
5 x_values = list(range(nr_points))
6 y_values = [0]
7 for i in range(1, nr_points):
8     y_values.append(y_values[-1] + random.
9                     randint(0, 10) - 5)
10 plt.plot(x_values, y_values)
11 plt.show()
```

- ▶ Matplotlib: Visualization with Python
- ▶ Things get slightly complicated and depend on how Python is used: your personal settings, operative system, Python interpreter... Therefore, Matplotlib has different backends.
- ▶ In week 11 we, focus on plotting.
- ▶ Goal for now: Generate a simple plot.
- ▶ To learn more: https://matplotlib.org/stable/users/explain/quick_start.html

Additional code shown during lecture

backslash.py

```
1 print('ja\nnej')
2 print('ABCDEFGF\b\b\b\b\b--')
3 print('ABCDEFGF\r---')
```

writing_text.py

```
1 f = open('test.txt', 'w')
2 f.write('I am writing to a file!\n')
3 f.close()
```

This is an example of writing a file without with statement. It is advisable to use with statement when writing and reading files.

$$f(x+\Delta x) = \sum_{i=0}^{\infty} \frac{(\Delta x)^i}{i!} f^{(i)}(x)$$